

**Serie | 8, Built-in oven, 60 x 60 cm,  
Black  
HBG633BB1B**



**Included accessories**

1 x grill tray  
2 x combination grid  
1 x universal pan

**Optional accessories**

HEZ327000 : Pizza stone  
HEZ530000 : Half tray  
HEZ531010 : Baking tray, non-stick ceramic coated  
HEZ625071 : Grill tray, anthracite enamelled  
HEZ632070 : Multipurpose pan, anthracite enamelled  
HEZ633001 : Lid for professional pan, enamelled anth  
HEZ634000 : Baking and roasting grid (standard)

- **4D Hotair:** even heat distribution on all levels for perfect baking results without mixing flavours.
- **TFT display control:** easy-to-use thanks to the control ring with clear text and touch symbols.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.
- **Pizza setting** - ideal for preparing of frozen and home made pizza.
- **Cleaning Assistance:** less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.

**Technical Data**

Color / Material Front : Black  
Built-in / Free-standing : Built-in  
Cleaning : catalytic partial, Hydrolytic  
Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
Dimensions (HxWxD) : 595 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 670 x 680 x 670 mm  
Control Panel Material : Glass  
Door Material : Glass  
Net weight : 35.1 kg  
Usable volume of cavity : 71 l  
Heating functions : , 4D HotAir, Bottom heat, Conventional heat, Defrost, Full width grill, Half width grill, Hot Air-Eco, Hot Air grilling, Pizza setting  
Oven control : electronic  
Number of interior lights : 1  
Approval certificates : CE, VDE  
Length electrical supply cord : 120 cm  
EAN code : 4242002880907  
Number of cavities (2010/30/EC) : 1  
Energy efficiency rating : A+  
Energy consumption per cycle conventional (2010/30/EC) : 0.87 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.69 kWh/cycle  
Energy efficiency index (2010/30/EC) : 81.2 %  
Connection Rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Plug type : no plug



4 242002 880907

## Serie | 8, Built-in oven, 60 x 60 cm, Black HBG633BB1B

### Heating Functions

- Oven with 10 heating methods:
  - 4D HotAir
  - Defrost
  - Full width grill
  - 4D HotAir Eco
  - Half width grill
  - Top/bottom heating
  - Top/bottom heating Eco
  - Pizza setting
  - Bottom heating
  - Hot air grilling
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

### Hook-in racks / rails

- Number of shelf levels: 5 PC
- Telescopic rails: Available as an additional accessory

### Design

- Bosch Control Ring
- Anthracite enamel cavity with 5 shelf positions

### Cleaning

- EcoClean Direct : back panel
- Cleaning Assistance - cleaning option for light soiling
- Full glass inner door

### Convenience

- TFT Touch Symbol Display
- Electronic clock/timer with end time programming
- Automatic temperature proposal
  - Residual heat indicator
  - Actual temperature display
- Drop down door, Oven door with SoftClose, SoftOpen
- Bar handle
- Rapid heating-up: automatic
- Halogen lighting
- Cooling fan

### Accessories

- 2 x combination grid, 1 x grill tray, 1 x universal pan

### Safety and Environment

- Maximum door temperature 40° C
- Child lock function
  - Automatic safety switch off function
  - Residual heat indicator
  - Start button
  - Door contact switch


### Technical Info

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


### Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

**Serie | 8, Built-in oven, 60 x 60 cm, Black  
HBG633BB1B**



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

