


**Serie | 6, HEADER2.Gas_Hob, 90 cm,
Stainless steel
PCT9A5B90A**



Included accessories

- 1 x cross support for espresso
- 1 x WOK attachment ring

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

- **FlameSelect:** adjust the gas flame precisely using nine defined levels.
- **Dual flame power burner** with two heat options, quickly boil water or maintain a precise simmer.
- **Continuous cast-iron pan support:** for high firmness and stability of cookware.
- **Sword knobs:** for an ergonomic control.
- **Surface colour:** elegant stainless-steel design.

Technical Data

Product name/family : gas hob w integrated controls

Construction type : Built-in

Energy input : Gas

Total number of positions that can be used at the same time : 6

Type of control setting devices : Sword knobs

Required niche size for installation (HxWxD) : 45 x 850-852 x 490-502 mm

Width of the appliance : 915 mm

Dimensions (HxWxD) : 45 x 915 x 520 mm

Dimensions of the packed product (HxWxD) : 165 x 1116 x 659 mm

Net weight : 20.8 kg

Gross weight : 23.0 kg

Residual heat indicator : without

Location of control panel : Hob front

Basic surface material : Stainless steel

Color of surface : Stainless steel

Color of frame : Stainless steel

Approval certificates : Australia Standards, Australia Standards

Length electrical supply cord : 100 cm

EAN code : 4242002914626

Electrical connection rating : 1 W

Gas connection rating : 17500 W

Fuse protection : 3 A

Voltage : 220-240 V

Frequency : 50; 60 Hz



4 242002 914626

**Serie | 6, HEADER2.Gas_Hob, 90 cm,
Stainless steel
PCT9A5B90A**

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design

- Black Stainless steel
- Enamelled cast-iron trivets with rubber feet

Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- One-hand electronic ignition via controls

Size & Power

- 6 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 2 Dual Wok burners
- Left rear: Standard burner up to 6.5 MJ/h (depending on gas type)
- Left front: Wok burner 19.5 MJ/h (depending on gas type)
- Center rear: Standard burner up to 6.85 MJ/h (depending on gas type)
- Center front: Economy burner up to 3.8 MJ/h (depending on gas type)
- Right rear: High-speed burner up to 11 MJ/h (depending on gas type)
- Right front: Wok burner 19.5 MJ/h (depending on gas type)

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)
- Preset to natural gas (10mbar)


Dimensions (WxD)

- Appliance dimensions: (W x D) 915 mm x 520 mm
- Installation dimensions: (H x W x D) 45 mm x 850 mm x 490 mm
- Power cord length 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

**Serie | 6, HEADER2.Gas_Hob, 90 cm,
Stainless steel
PCT9A5B90A**



- * Minimum distance from the hob cut-out to the wall
 - ** Position of gas connection in the cut-out
 - *** With fitted oven underneath, possibly more; see space requirements for the oven
- measurements in mm