



Window Wall

AIR CONDITIONING RANGE



Australians love 2 a Kelvinator





Air conditioning features



Brand

All Kelvinator products go through rigorous testing to ensure they meet stringent Australian performance and quality standards.



Simple, economic and reliable

Because there are no separate indoor and outdoor units, it's easier to install a window wall model. And because it's a Kelvinator, you know it is reliable and built to last.



Compact

The super compact design means that window wall air conditioners are discreet and unobtrusive in your home. They are also perfect for cooling smaller family homes and space-restricted areas.



Control from the comfort of your armchair

All models come with a remote control that lets you conveniently control all functions. Depending on which model you choose, other great features include auto air swing left-right to give a natural feel to air movement, auto restart, climate control, timer, sleep mode and a 3-speed fan for lower energy consumption and greater comfort.

(Excluding model KWH16CMF).



Fresh air delivery

The fresh air return provides additional ventilation to your room and can also assist in humidity control. The easy-to-service dust filter removes dust and other larger airborne particles for cleaner air.

Choosing the right air conditioner

It's important to select the right sized air conditioner for your room in order to ensure effective and efficient cooling and heating.



1. Total size of room (m²)?



3. Do you have ceiling insulation?



2. Direction the main window faces?



4. Do you require an air conditioner that heats and cools or cools only?

Go to Kelvinator.com.au/looking-for-an-air-conditioner

ceiling insulated	ulated YES				NO				
glass area facing	north or west		south or east		north or west		south or east		
window size	large	small	large	small	large	small	large	small	
model	room size m²								
KWH16CMF	10	12	11	14	9	10	10	11	
KWH22CRF / KWH22HRF	14	16	15	17	13	14	14	15	
KWH27CRF / KWH27HRF	16	18	17	20	15	16	16	17	
KWH39CRF / KWH39HRF	22	26	24	28	20	23	22	24	
KWH52CRF / KWH52HRF	32	39	35	41	29	34	31	35	
KWH60CRF / KWH60HRF	39	46	42	49	35	37	35	42	

Prior to installation selection should be verified by your authorised Kelvinator retailer.



KWH16CMF (Cooling only)




KWH22CRF, KWH27CRF, KWH39CRF, KWH52CRF, KWH60CRF (Cooling only)



KWH22HRF, KWH27HRF, KWH39HRF, KWH52HRF, KWH60HRF (Heating and cooling)

Window wall Cooling only specifications





KWH16CMF

N/A

KWH22CRF, KWH27CRF, KWH39CRF, KWH52CRF, KWH60CRF

 \checkmark

 \checkmark

model	KWH16CMF	KWH22CRF	KWH27CRF	KWH39CRF	KWH52CRF	KWH60CRF
capacity cool watts (Btu/h)	1600	2200	2700	3900	5200	6000
current rating (Amps)	10	10	10	10	10	15
dimensions (w x h x d) mm	350 x 450 x 580	375 x 560 x 668	375 x 560 x 668	428 x 660 x 700	428 x 660 x 770	428 x 660 x 770
refrigerant	R32	R32	R32	R32	R32	R32
performance						
indoor sound pressure (dBA) high/low setting	49/45	50/46	50/46	50/46	55/51	55/51
outdoor sound pressure (dBA)	56	57	57	60	62	62
outdoor sound power (dBA)	66	67	67	70	72	72
air circulation max (ltr/s)	103	122	122	178	217	239
ambient temperature range (°C)	18 to 46	18 to 46				
moisture removal (ltr/hr)	0.5	1.0	1.0	1.5	2.2	2.2
star rating cool	2.0	2.0	2.0	2.0	2.0	2.0
key features						
fresh air return/dust filter	√/ √	√/√	√/√	√/√	√ / √	√/√


 \checkmark

wireless remote control/type

manual operation

sleep mode

Window wall Reverse cycle specifications



KWH22HRF, KWH27HRF, KWH39HRF, KWH52HRF, KWH60HRF

model	KWH22HRF	KWH27HRF	KWH39HRF	KWH52HRF	KWH60HRF
capacity cool watts (Btu/h)	2200	2700	3900	5200	6000
capacity heat watts (Btu/h)	1900	2450	3600	4800	5520
current rating (Amps)	10	10	10	10	15
dimensions (w x h x d) mm	375 x 560 x 668	375 x 560 x 668	428 x 660 x 700	428 x 660 x 770	428 x 660 x 770
refrigerant	R32	R32	R32	R32	R32

performance					
indoor sound pressure (dBA) high/low setting	50/46	50/46	50/46	55/51	55/51
outdoor sound pressure (dBA)	57	57	60	62	62
outdoor sound power (dBA)	67	67	70	73	74
air circulation max (ltr/s)	122	122	183	217	244
ambient temperature range cooling (°C)	18 to 46				
ambient temperature range heating (°C)	-7 to 30				
moisture removal (ltr/hr)	1.0	1.0	1.5	2.2	2.2
star rating cool/heat	2.0 / 2.0	2.0 / 2.0	2.0 / 2.0	2.0 / 2.0	2.0 / 2.0

key features					
fresh air return/dust filter	√/√	√/√	√/√	√/√	√/√
wireless remote control/type	✓	✓	✓	✓	✓
manual operation	✓	✓	✓	✓	✓
sleep mode	✓	✓	✓	✓	✓

^{*}Will operate outside this range but at less than rated performance.

^{*}Will operate outside this range but at less than rated performance.

Please note: In accordance with the Electrolux warranty, Electrolux is not liable if the appliance is damaged by incomplete or improper installation.

For further information on our Kelvinator air conditioning range, or to obtain dimension and installation requirements please call 13 13 49 or visit kelvinator.com.au





% 13 13 49

Our dedicated Customer Care team is available seven days a week. Contact us by phone or email. Check out the online links for product support, service and more.

Home service

law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

Kelvinator. We are part of the Electrolux Family. To add a touch of professional inspiration to your home, visit electrolux.com.au